

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	716	((line or wire or conductor or metal or connect\$3 or interconnect\$3 or net) with (mark\$3 or distinguish\$3 or recogniz\$3 or discriminat\$3 or differentiat\$3 or characteriz\$3 or classify\$3) with width) same (parameter or attribute or characteristic)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/02 09:10
L2	126	(compar\$3 with width) and L1	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/02 07:47
L3	21	((design near2 rule) or DRC) and L2	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/02 07:47
L4	20	((tag\$3 or index\$3 or rat\$3 or rank\$3 or mark\$3 or label\$3 or sticker\$3) with width) and L3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/02 09:11
L10	722	((tag\$3 or index\$3 or mark\$3 or label\$3 or sticker\$3) near2 (line or wire or conductor or metal or connect\$3 or interconnect\$3 or net or foil)) same layout	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/02 11:21
L11	70	10 same width	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/02 09:14
L12	37	(schematic or topograph\$4 or physical) and 11	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/02 11:20
L13	6	("4811237") or ("5272645") or ("5636129").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/02 11:20
L14	13	"5793643"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/02 11:20
L15	19	13 or 14	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/02 11:20

L16	6	((tag\$3 or index\$3 or mark\$3 or label\$3 or sticker\$3) near2 (line or wire or conductor or metal or connect\$3 or interconnect\$3 or net or foil)) and 15	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/02 11:51
L17	1	((min or minimum) adj width) and 16	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/02 11:23
L18	3	width and 16	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/02 11:52
S34	2	("20040163061").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/01 11:52
S35	23250	schematic and physical and layout	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/01 13:16
S36	3538	((line or wire or conductor or metal or connect\$3 or interconnect\$3 or net) near1 power) and S35	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/01 14:13
S37	312	((line or wire or conductor or metal or connect\$3 or interconnect\$3 or net) near1 power) same ((line or wire or conductor or metal or connect\$3 or interconnect\$3 or net) near1 signal)) and S36	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/01 13:27
S38	59	((line or wire or conductor or metal or connect\$3 or interconnect\$3 or net) near2 width) and S37	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/01 13:54
S39	8	((design adj rule adj check\$3) or DRC) and S38	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/01 14:22
S40	566	((line or wire or conductor or metal or connect\$3 or interconnect\$3 or net) with (classif\$7 or arrang\$5 or rat\$3) with width) and S35	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/01 16:24
S41	41	((line or wire or conductor or metal or connect\$3 or interconnect\$3 or net) with (index\$3 or mark\$3 or label\$3) same width) and S40	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/01 14:23

S42	4	extract\$3 and S41	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/01 14:19
S43	6	((design adj rule) or DRC) and S41	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/01 15:07
S44	56	((design adj rule) or DRC) and S40	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/01 14:30
S45	14	(compar\$3 with width) and S44	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/01 14:31
S46	42	(compar\$3 near4 width) and S40	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/01 15:06
S47	48	(compar\$3 near6 width) and S40	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/01 14:35
S48	504	(compar\$3 near4 width) and ((line or wire or conductor or metal or connect\$3 or interconnect\$3 or net) with (index\$3 or mark\$3 or label\$3) same width)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/01 15:07
S49	29	((design adj rule) or DRC) and S48	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/01 16:21
S50	55084	(mark\$3 or distinguish\$3 or recogniz\$3 or discriminat\$3 or differentiat\$3 or characteriz\$3 or classify\$3) with width	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/02 07:45
S51	11705	(line or wire or conductor or metal or connect\$3 or interconnect\$3 or net) with (mark\$3 or distinguish\$3 or recogniz\$3 or discriminat\$3 or differentiat\$3 or characteriz\$3 or classify\$3) with width	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/01 16:26

S52	715	((line or wire or conductor or metal or connect\$3 or net) with (mark\$3 or distinguish\$3 or recogniz\$3 or discriminat\$3 or differentiat\$3 or characteriz\$3 or classify\$3) with width) same (parameter or attribute or characteristic)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/01 16:27
S53	126	(compar\$3 with width) and S52	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/01 16:27
S54	21	((design near2 rule) or DRC) and S53	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/01 16:29